



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/611,518	07/07/2000	Jae-Yoel Kim	678-509 (P9463)	6612
28249	7590	08/09/2006	EXAMINER	
DILWORTH & BARRESE, LLP 333 EARLE OVINGTON BLVD. UNIONDALE, NY 11553			COLIN, CARL G	
			ART UNIT	PAPER NUMBER
			2136	

DATE MAILED: 08/09/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	<b>Application No.</b> 09/611,518	<b>Applicant(s)</b> KIM ET AL.	
	<b>Examiner</b> Carl Colin	<b>Art Unit</b> 2136	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

#### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

#### Status

- 1) ☒ Responsive to communication(s) filed on 30 May 2006.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

#### Disposition of Claims

- 4) ☒ Claim(s) 1,21,31-47 and 54-70 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1,21,31-47 and 54-70 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

#### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

#### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

## **DETAILED ACTION**

### ***Continued Examination Under 37 CFR 1.114***

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 5/2/2006 has been entered.

### ***Response to Arguments***

2. In response to communications filed on 5/30/2006, claims 48-53 have been cancelled, and claims 54-70 have been added. The following claims 1, 21, and 31-47, and 54-70 are presented for examination.

2.1 In response to communications filed on 5/30/2006, the 112<sup>th</sup> rejection of claims 48-53 has been withdrawn with respect to the amendment.

2.2 Applicant's arguments, pages 10-16, filed on 5/30/2006, with respect to the rejection of claims 1, 21, and 31-47 have been fully considered, but they are not persuasive. With respect to claims 1 and 21, Applicant argues that the Lth secondary scrambling code associated with the primary scrambling code is a result of adding the second m-sequence and L times shifted the first m-sequence. Applicant also argues that the masking step shifts the first m-sequence to generate

Art Unit: 2136

an Lth secondary scrambling code and then using the masked sequence to generate a third m-sequence. In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies above are not recited in the rejected claims 1 and 21. Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993). Applicant has not overcome the rejection as explained above and the new claims recite some of the concept already found in dependent claims 31-33 and the cancelled claims. Therefore, claims 1, 21, and 31-47, and 54-70 are still rejected in view of the cited prior art.

### ***Claim Rejections - 35 USC § 112***

3. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter, which the applicant regards as his invention.

Claim 54 and the intervening claims are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Regarding claim 54 reciting "wherein the Lth Gold code is generated", there is insufficient antecedent basis regarding this limitation in the claim. It is not clear whether the claim is directed to the primary scrambling code, secondary scrambling code, or other scrambling code.

*Claim Rejections - 35 USC § 112*

4. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

4.1 Claims 58, 59, 64, 65, 70, and the intervening claims are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim contains subject matter, which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

4.2 Claims 58 and 64 as amended recite wherein the primary scrambling code and the secondary scrambling code are I-channel components. Claim 70 recites similar limitation. However, the embodiment that applicant relies on as illustrated in figure 10 describe the adders 1032-1034 generating I-channel scrambling code signal not the output from the adder 1030 used as a primary scrambling code (see page 20, line 26-page 21, line 5). Therefore, the claims as amended do not comply with the written description.

Claims 59 and 65 recite generating  $((K-1)*M + K)$ th gold code as a Kth primary scrambling code by adding a  $((K-1)*M + K + 1)$  times shifted first m-sequence and the second m-sequence. However, the specification explicitly states, the secondary scrambling codes are

Art Unit: 2136

generated by adding cyclically shifted first m-sequence and the second m-sequence. The specification does not describe the claimed limitation as claimed in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

### ***Double Patenting***

5. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 1, 21, 31-47, 54-70 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-32 of copending

Art Unit: 2136

Application No. 11/003,558. Although the conflicting claims are not identical, they are not patentably distinct from each other because the difference between the claims is that the present application generates primary scrambling code by adding the first and the second m-sequences without masking the first m-sequence with respect to claims 1 and 21. Masking provides the advantage of increasing the number of available codes, but may be disadvantageous in processing time and speed as it requires a more complex architecture and processing. It would have been obvious to one of ordinary skill in the art to generate primary scrambling code without masking the first m-sequence in order to save in processing time and also to use a less complex architecture. Application No. 11/003,558 uses masking of the first m-sequence before adding.

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

### ***Claim Rejections - 35 USC § 103***

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

**Claims 1, 21, 31-47 and 54-70** are rejected under 35 U.S.C. 103(a) as being unpatentable over US Patent 6,339,646 to **Dahlman et al.** in view of Foreign Patent Publication WO 99/12284 to **Dahlman** and in view of US Patent 6,141,374 to **Burns**.

As per claim 1, **Dahlman et al.** substantially teaches a method for generating a primary scrambling code (see figure 4) the method comprising: generating a first a first m-sequence from a first m-sequence generator, including first shift registers having first shift register values  $a_i$  wherein ( $i = 0$  to  $c - 1$  and where  $c$  is the total number of the first registers) (see column 4, line 59 through column 5, line 16); generating a second m-sequence from a second m-sequence generator, including second shift registers having second shift register values  $b_j$  wherein  $j = 0$  to  $c - 1$  where  $c =$  the total number of second registers) (see figure 4); adding the first m-sequence and the second m-sequence to generate a primary scrambling code (see figure 4); **Dahlman et al** also suggests using plurality of adders for combining channelization codes and scrambling codes to produce other secondary scrambling codes or use a modified value or different code phase and not limited to any variations and rearrangements (see column 5, lines 18-35 column 4, lines 40-57). **Dahlman et al** discloses masking step adapted to shift m-sequence by  $L$  chips to generate a number of secondary scrambling associated with a primary scrambling code (column 4, line 57 through column 5, line 27 and column 4, lines 2-57). **Dahlman et al** teaches details of assigning codes in a related Foreign application by Dahlman as mentioned in column 1, lines 45-49. **Dahlman** in a Foreign Patent Publication WO 99/12284 discloses assigning spreading codes to base stations (see WO 99/12284 figure 5, 7, and 8 with description). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use the



Art Unit: 2136

method described in US Patent 6,339,646 to **Dahlman et al** to generate the scrambling codes and combining it with the teaching in the Foreign Publication WO 99/12284 to assign the codes to the base stations. The motivation or suggestion to do so is given by **Dahlman** who suggests that additional scrambling codes can be used to increase the number of available codes to avoid a shortage of codes and refers to the foreign publication for generating and assigning multiple code sets (column 1, lines 36-48). **Dahlman et al** does not explicitly disclose masking by shifting the sequences cyclically by multiplying with a mask value. **Burns** in an analogous art teaches a masking section to mask the first shift register values  $a_i$  with a first set of mask values  $K_i$  to generate a third m-sequence and further discloses a masking section shifts m-sequence cyclically by L chips to generate a number of secondary scrambling associated with a primary scrambling code and further discloses adding the masking sequence with another sequence (see column 3, line 40 through column 4, line 5) and also discloses the masking is expressed by multiplying mask codes by register values (see **Burns**, column 8, lines 29-67 and figures 3 and 4).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to implement the masking concept of multiplying as disclosed in **Burns** before adding the sequence in **Dahlman** to generate secondary scrambling codes associated with the primary scrambling codes. The motivation to do so is given by **Dahlman** who suggests that additional scrambling codes can be used to increase the number of available codes to avoid a shortage of codes (column 1, lines 36-48) and **Burns** suggests shifts are multiplied to produce new values then the combined masks are then added to produce new state values (column 8, lines 45-61).

As per claim 21, **Dahlman et al.** substantially teaches a scrambling code generator (see figure 4) comprising: a first m-sequence generator to generate a first m-sequence, by using a plurality of registers with values  $a_i$  wherein ( $i = 0$  to  $c-1$  and where  $c$  is the total number of the first registers) (see column 4, line 59 through column 5, line 16); a second m-sequence generator for generating a second m-sequence, by using a plurality of second registers with second-shift register values  $j = 0$  to  $c-1$  where  $c =$  the total number of second registers) (see figure 4); a first adder to add the first m-sequence and the second m-sequence to generate a primary scrambling code (see figure 4); **Dahlman et al** also suggests using plurality of adders for combining channelization codes and scrambling codes to produce other secondary scrambling codes or use a modified value or different code phase and not limited to any variations and rearrangements (see column 5, lines 18-35 column 4, lines 40-57). **Dahlman et al** discloses masking step adapted to shift m-sequence by  $L$  chips to generate a number of secondary scrambling associated with a primary scrambling code (column 4, line 57 through column 5, line 27 and column 4, lines 2-57). **Dahlman et al** teaches details of assigning codes in a related Foreign application by Dahlman as mentioned in column 1, lines 45-49. **Dahlman** in a Foreign Patent Publication WO 99/12284 discloses assigning spreading codes to base stations (see WO 99/12284 figure 5, 7, and 8 with description). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use the method described in US Patent 6,339,646 to **Dahlman et al** to generate the scrambling codes and combining it with the teaching in the Foreign Publication WO 99/12284 to assign the codes to the base stations. The motivation or suggestion to do so is given by **Dahlman** who suggests that additional scrambling codes can be used to increase the number of available codes to avoid a shortage of codes and refers to the foreign publication for

Art Unit: 2136

generating and assigning multiple code sets (column 1, lines 36-48). **Dahlman et al** does not explicitly disclose masking by shifting the sequences cyclically by multiplying with a mask value. **Burns** in an analogous art teaches a masking section to mask the first shift register values  $a_i$  with a first set of mask values  $K_i$  to generate a third m-sequence and further discloses a masking section shifts m-sequence cyclically by L chips to generate a number of secondary scrambling associated with a primary scrambling code and further discloses adding the masking sequence with another sequence (see column 3, line 40 through column 4, line 5) and also discloses the masking is expressed by multiplying mask codes by register values (see **Burns**, column 8, lines 29-67 and figures 3 and 4). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to implement the masking concept of multiplying as disclosed in **Burns** before adding the sequence in **Dahlman** to generate secondary scrambling codes associated with the primary scrambling codes. The motivation to do so is given by **Dahlman** who suggests that additional scrambling codes can be used to increase the number of available codes to avoid a shortage of codes (column 1, lines 36-48) and **Burns** suggests shifts are multiplied to produce new values then the combined masks are then added to produce new state values (column 8, lines 45-61).

As per claims 34, and 41, the combined references disclose the limitation of wherein the masking step is expressed by summing  $(K_i \times a_i)$  (see **Burns**, column 8, lines 29-61 and figure 4). Therefore, these claims are rejected on the same rationale as the rejection of claims 1 and 21.

Art Unit: 2136

As per claims 31-32 and 38-39, the combined references disclose N number of primary scrambling codes and a total number of secondary scrambling codes for each primary code and further discloses a plurality of secondary scrambling codes associated with each primary scrambling code that meets the recitation of wherein the primary scrambling code is one of a plurality of primary scrambling codes and a Kth primary scrambling code is a  $((K-1)*M + K)$ th gold code where M is a total of secondary scrambling codes per primary scrambling code and K is between 1 and 512 and wherein the secondary scrambling codes associated with a Kth primary scrambling code are from  $((K-1)*M + K+1)$ th to  $((K-1)*M + K+1)$ th gold codes where M is a total of secondary scrambling codes per primary scrambling code and K is between 1 and 512 (see **Dahlman et al**, column 6, lines 18-59 and see WO 99/12284 figure 5, 7, and 8 with description).

As per claims 33 and 36, the combined references disclose generating a plurality of secondary codes for one set of primary scrambling code (see **Dahlman et al**, column 5, lines 3-18 and lines 43-47).

Claims 35 and 40 recite similar limitations to claims 1 and 21 performing the same method to generate additional code by using an additional masking value for generating an additional sequence. The combined references disclose generating Nth secondary codes. Therefore, claims 35 and 40 are still obvious since this modification requires routine skill in the art, these claims are rejected on the same rationale as the rejection of claims 1 and 21.

Art Unit: 2136

As per claims 37 and 47, the combined references disclose the limitation of further comprising the step of delaying at least one of the primary scrambling code and secondary scrambling code to produce a Q-channel component wherein the primary scrambling code and secondary scrambling code are I-channel components (see **Burns**, column 6, lines 1-14 and column 3, lines 53-57). Therefore, these claims are rejected on the same rationale as the rejection of claims 1 and 21.

As per claim 42, the combined references disclose the limitation of wherein the first m-sequence generator is adapted to cyclically shifting the first shift register values and the second m-sequence generator is cyclically shifts the second shift register values (see **Dahlman et al**, figure 4 and **Burns** column 8, lines 45-61 and figure 4).

As per claims 43 and 45, the combined references disclose the limitation of wherein the first m-sequence generator is adds predetermined bits of the first shift register values of the first shift registers based on the first generator polynomial of the first m-sequence, right shifting the first shift register values  $a_i$  of the first shift registers and replacing the first register value  $a_{c-1}$  with the result of the addition of the predetermined register values (see **Dahlman et al**, figure 4 and **Burns** column 8, lines 45-61 and see figure 4).

As per claims 44 and 46 **Dahlman et al.** discloses the limitation of wherein the first m-sequence generator is adds the first shift register value  $a_0$  with  $a_7$  to form a next  $a_{c-1}$  and  $b_0$  is added with  $b_5$ ,  $b_7$ , and  $b_{10}$  to form a next  $b_{c-1}$  (see figure 4).

As per claim 54, **Dahlman et al.** substantially teaches a method for generating scrambling codes in mobile communication system having a scrambling code generator, the method comprising steps of: generating number of primary scrambling codes and a total number of secondary scrambling codes for each primary code and further discloses a plurality of secondary scrambling codes associated with each primary scrambling code that meets the recitation of generating a  $((K-1)*M + K)$ th gold code as a Kth primary scrambling code where K is natural number and M is a total number of secondary scrambling codes per primary scrambling code and generating  $(K-1)*M + K+1$ th to  $((K-1)*M + K+1)$ th gold codes as secondary scrambling codes associated with the Kth primary scrambling code, wherein the Lth Gold code is generated by adding an L-1 times shifted first m-sequence and a second m-sequence. **Dahlman et al** discloses masking step adapted to shift m-sequence by L chips to generate a number of secondary scrambling associated with a primary scrambling code (column 4, line 57 through column 5, line 27 and column 6, lines 18-59). **Dahlman et al** teaches details of assigning codes in a related Foreign application by Dahlman as mentioned in column 1, lines 45-49. **Dahlman** in a Foreign Patent Publication WO 99/12284 discloses assigning spreading codes to base stations (see WO 99/12284 figure 5, 7, and 8 with description). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use the method described in US Patent 6,339,646 to **Dahlman et al** to generate the scrambling codes and combining it with the teaching in the Foreign Publication WO 99/12284 to assign the codes to the base stations. The motivation or suggestion to do so is given by **Dahlman** who suggests that additional scrambling codes can be used to increase the number of available codes

Art Unit: 2136

to avoid a shortage of codes and refers to the foreign publication for generating and assigning multiple code sets (column 1, lines 36-48). **Dahlman et al** does not explicitly disclose masking by shifting the sequences cyclically by multiplying with a mask value. **Burns** in an analogous art teaches a masking section to mask the first shift register values  $a_i$  with a first set of mask values  $K_i$  to generate a third m-sequence and further discloses a masking section shifts m-sequence cyclically by L chips to generate a number of secondary scrambling associated with a primary scrambling code and further discloses adding the masking sequence with another sequence (see **Burns**, column 3, line 40 through column 4, line 5) and also discloses the masking is expressed by multiplying mask codes by register values (see **Burns**, column 8, lines 29-67 and figures 3 and 4). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to implement the masking concept of multiplying as disclosed in **Burns** before adding the sequence in **Dahlman** to generate secondary scrambling codes associated with the primary scrambling codes. The motivation to do so is given by **Dahlman et al** who suggests that additional scrambling codes can be used to increase the number of available codes to avoid a shortage of codes (see US Patent 6,339,646 to Dahlman et al; column 1, lines 36-48) and **Burns** suggests shifts are multiplied to produce new values then the combined masks are then added to produce new state values (see **Burns**, column 8, lines 45-61).

As per claim 55, the combined references disclose N number of primary scrambling codes and a total number of secondary scrambling codes for each primary code that meets the recitation of wherein K is a primary scrambling code number and K is between 1 and 512 (see

Art Unit: 2136

**Dahlman et al**, column 6, lines 18-59 and see WO 99/12284 figure 5, 7, and 8 with description).

Claim 55 is therefore rejected on the same rationale as the rejection of claim 54.

As per claim 56, the combined references disclose wherein the first m-sequence is generated from a first shift register memory, by using a plurality of registers with values  $a_i$  wherein ( $i = 0$  to  $c-1$  and where  $c$  is the total number of the first registers); (see **Dahlman et al**, column 4, line 59 through column 5, line 16). **Burns** discloses a masking section shifts m-sequence cyclically, the masking is expressed by multiplying mask codes by register values (see **Burns**, column 8, lines 29-67 and figures 3 and 4). Claim 56 is therefore rejected on the same rationale as the rejection of claim 54.

As per claim 57, the combined references disclose the limitation of wherein the masking step is expressed by summing  $(K_i \times a_i)$  (see **Burns**, column 8, lines 29-61 and figure 4). Therefore, claim 57 is rejected on the same rationale as the rejection of claim 54.

As per claim 58, the combined references disclose the limitation of wherein the primary scrambling code and secondary scrambling code are I-channel components and delaying at least one of the primary scrambling code and secondary scrambling code to produce a Q-channel component (see **Burns**, column 6, lines 1-14 and column 3, lines 53-57). Therefore, claim 58 is rejected on the same rationale as the rejection of claim 54.



As per claim 59, **Dahlman et al.** substantially teaches an apparatus for generating scrambling code having scrambling code generator (see figure 4) comprising: a first m-sequence generator to generate a first a first m-sequence, (see column 4, line 59 through column 5, line 16); a second m-sequence generator for generating a second m-sequence, (see figure 4); a first adder to add the first m-sequence and the second m-sequence to generate a primary scrambling code (see figure 4); **Dahlman et al** also suggests using plurality of adders for combining channelization codes and scrambling codes to produce other secondary scrambling codes or use a modified value or different code phase and not limited to any variations and rearrangements (see column 5, lines 18-35 column 4, lines 40-57). **Dahlman et al** discloses masking step adapted to shift m-sequence by L chips to generate gold code as primary scrambling code (see column 4, lines 40-44 and column 6, lines 18-59). **Dahlman et al** teaches details of assigning codes in a related Foreign application by Dahlman as mentioned in column 1, lines 45-49. **Dahlman** in a Foreign Patent Publication WO 99/12284 discloses assigning spreading codes to base stations where K is a natural number and M is a total number of secondary scrambling codes per one primary scrambling code (see WO 99/12284 figure 5, 7, and 8 with description). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use the method described in US Patent 6,339,646 to **Dahlman et al** to generate the scrambling codes and combining it with the teaching in the Foreign Publication WO 99/12284 to assign the codes to the base stations. The motivation or suggestion to do so is given by **Dahlman** who suggests that additional scrambling codes can be used to increase the number of available codes to avoid a shortage of codes and refers to the foreign publication for generating and assigning multiple code sets (column 1, lines 36-48). **Dahlman et al** does not explicitly disclose masking

Art Unit: 2136

by shifting the sequences cyclically by multiplying with a mask value. **Burns** in an analogous art teaches a masking section to mask the first shift register values  $a_i$  with a first set of mask values  $K_i$  to generate a third m-sequence and further discloses a masking section shifts m-sequence cyclically by L chips to generate a number of secondary scrambling associated with a primary scrambling code and further discloses adding the masking sequence with another sequence (see **Burns**, column 3, line 40 through column 4, line 5) and also discloses the masking is expressed by multiplying mask codes by register values (see **Burns**, column 8, lines 29-67 and figures 3 and 4). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to implement the masking concept of multiplying as disclosed in **Burns** before adding the sequence in **Dahlman** to generate secondary scrambling codes associated with the primary scrambling codes. The motivation to do so is given by **Dahlman et al** who suggests that additional scrambling codes can be used to increase the number of available codes to avoid a shortage of codes (see US Patent 6,339,646 to Dahlman et al; column 1, lines 36-48) and **Burns** suggests shifts are multiplied to produce new values then the combined masks are then added to produce new state values (see **Burns**, column 8, lines 45-61).

As per claim 60, the combined references disclose the limitation of wherein the secondary scrambling codes of the Kth primary scrambling code are  $((K-1)*M + K+1)$ th to  $((K-1)*M + K+1)$ th gold codes (see **Dahlman et al**, column 6, lines 18-59 and see WO 99/12284 figure 5, 7, and 8 with description). Claim 60 is therefore rejected on the same rationale as the rejection of claim 59.

Art Unit: 2136

As per claim 61, the combined references disclose N number of primary scrambling codes and a total number of secondary scrambling codes for each primary code that meets the recitation of wherein K is a primary scrambling code number and K is between 1 and 512 (see **Dahlman et al**, column 6, lines 18-59 and see WO 99/12284 figure 5, 7, and 8 with description). Claim 61 is therefore rejected on the same rationale as the rejection of claim 59.

As per claim 62, the combined references disclose wherein the first m-sequence generator to generate a first a first m-sequence, by using a plurality of registers with values  $a_i$  wherein ( $i = 0$  to  $c-1$  and where  $c$  is the total number of the first registers); (see **Dahlman et al**, column 4, line 59 through column 5, line 16). **Burns** discloses a masking section shifts m-sequence cyclically, the masking is expressed by multiplying mask codes by register values (see **Burns**, column 8, lines 29-67 and figures 3 and 4). Claim 62 is therefore rejected on the same rationale as the rejection of claim 59.

As per claim 63, the combined references disclose the limitation of wherein the masking step is expressed by summing  $(K_i \times a_i)$  (see **Burns**, column 8, lines 29-61 and figure 4). Therefore, claim 63 is rejected on the same rationale as the rejection of claim 59.

As per claim 64, the combined references disclose the limitation of wherein the primary scrambling code and secondary scrambling code are I-channel components and delaying at least one of the primary scrambling code and secondary scrambling code to produce a Q-channel

component (see **Burns**, column 6, lines 1-14 and column 3, lines 53-57). Therefore, claim 64 is rejected on the same rationale as the rejection of claim 59.

As per claim 65, **Dahlman et al.** substantially teaches a method for generating scrambling code having scrambling code generator (see figure 4) comprising: generating a first a first m-sequence, (see column 4, line 59 through column 5, line 16); generating a second m-sequence, (see figure 4); a first adder to add the first m-sequence and the second m-sequence to generate a primary scrambling code (see figure 4); **Dahlman et al** also suggests using plurality of adders for combining channelization codes and scrambling codes to produce other secondary scrambling codes or use a modified value or different code phase and not limited to any variations and rearrangements (see column 5, lines 18-35 column 4, lines 40-57). **Dahlman et al** discloses masking step adapted to shift m-sequence by L chips to generate gold code as primary scrambling code (see column 4, lines 40-44 and column 6, lines 18-59). **Dahlman et al** teaches details of assigning codes in a related Foreign application by Dahlman as mentioned in column 1, lines 45-49. **Dahlman** in a Foreign Patent Publication WO 99/12284 discloses assigning spreading codes to base stations where K is a natural number and M is a total number of secondary scrambling codes per one primary scrambling code (see WO 99/12284 figure 5, 7, and 8 with description). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use the method described in US Patent 6,339,646 to **Dahlman et al** to generate the scrambling codes and combining it with the teaching in the Foreign Publication WO 99/12284 to assign the codes to the base stations. The motivation or suggestion to do so is given by **Dahlman** who suggests that additional scrambling codes can be

used to increase the number of available codes to avoid a shortage of codes and refers to the foreign publication for generating and assigning multiple code sets (column 1, lines 36-48).

**Dahlman et al** does not explicitly disclose masking by shifting the sequences cyclically by multiplying with a mask value. **Burns** in an analogous art teaches a masking section to mask the first shift register values  $a_i$  with a first set of mask values  $K_i$  to generate a third m-sequence and further discloses a masking section shifts m-sequence cyclically by L chips to generate a number of secondary scrambling associated with a primary scrambling code and further discloses adding the masking sequence with another sequence (see **Burns**, column 3, line 40 through column 4, line 5) and also discloses the masking is expressed by multiplying mask codes by register values (see **Burns**, column 8, lines 29-67 and figures 3 and 4). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to implement the masking concept of multiplying as disclosed in **Burns** before adding the sequence in **Dahlman** to generate secondary scrambling codes associated with the primary scrambling codes. The motivation to do so is given by **Dahlman et al** who suggests that additional scrambling codes can be used to increase the number of available codes to avoid a shortage of codes (see US Patent 6,339,646 to Dahlman et al; column 1, lines 36-48) and **Burns** suggests shifts are multiplied to produce new values then the combined masks are then added to produce new state values (see **Burns**, column 8, lines 45-61).

As per claim 66, the combined references disclose the limitation of wherein the secondary scrambling codes of the Kth primary scrambling code are  $((K-1)*M + K+1)$ th to  $((K-1)*M + K+1)$ th gold codes (see **Dahlman et al**, column 6, lines 18-59 and see WO 99/12284

figure 5, 7, and 8 with description). Claim 66 is therefore rejected on the same rationale as the rejection of claim 65.

As per claim 67, the combined references disclose N number of primary scrambling codes and a total number of secondary scrambling codes for each primary code that meets the recitation of wherein K is a primary scrambling code number and K is between 1 and 512 (see **Dahlman et al**, column 6, lines 18-59 and see WO 99/12284 figure 5, 7, and 8 with description). Claim 67 is therefore rejected on the same rationale as the rejection of claim 65.

As per claim 68, the combined references disclose wherein the first m-sequence is generated from a first shift register memory, by using a plurality of registers with values  $a_i$  wherein ( $i = 0$  to  $c - 1$  and where  $c$  is the total number of the first registers); (see **Dahlman et al**, column 4, line 59 through column 5, line 16). **Burns** discloses a masking section shifts m-sequence cyclically, the masking is expressed by multiplying mask codes by register values (see **Burns**, column 8, lines 29-67 and figures 3 and 4). Claim 68 is therefore rejected on the same rationale as the rejection of claim 65.

As per claim 69, the combined references disclose the limitation of wherein the masking step is expressed by summing  $(K_i \times a_i)$  (see **Burns**, column 8, lines 29-61 and figure 4). Therefore, claim 69 is rejected on the same rationale as the rejection of claim 65.

Art Unit: 2136

As per claim 70, the combined references disclose the limitation of wherein each scrambling code is used as an I-channel component and a Q-channel component corresponding to the I-channel component is generated by delaying the I-channel component for a predetermined time (see **Burns**, column 6, lines 1-14 and column 3, lines 53-57). Therefore, claim 70 is rejected on the same rationale as the rejection of claim 65.

### *Conclusion*

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Carl Colin whose telephone number is 571-272-3862. The examiner can normally be reached on Monday through Thursday, 8:00-6:30 PM.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nasser G. Moazzami can be reached on 571-272-4195. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Carl Colin  
Patent Examiner  
August 6, 2006

NASSER MOAZZAMI  
PRIMARY EXAMINER

  
8/7/06